


**Monthly report tables and figures (July participants)**

**Figure 1. Participants recruited in July by municipality of residence (N=899)**



**Table 1. Distribution of participants and COVID-19 cases reported in July by participants for last 30 days, by age and gender**

	<b>Participants</b>	<b>Confirmed cases (RT-PCR)</b>	<b>Confirmed and probable cases*</b>
	<b>Number (column%)</b>	<b>Number (row%)</b>	
<b>Number</b>	899	5 (0.6)	20 (2.2)
<b>Sex</b>			
Male	284 (31.6)	5 (1.8)	11 (3.9)
Female	594 (66.1)	0 (0)	9 (1.5)
Missing/Other	21 (2.3)	0 (0)	0 (0)
<b>Age</b>			
21-25	41 (4.8)	0 (0)	2 (4.9)
26-30	39 (4.5)	1 (2.6)	2 (5.1)
31-35	60 (7.0)	0 (0)	0 (0)
36-40	57 (6.6)	0 (0)	1 (1.8)
41-45	79 (9.2)	1 (1.3)	3 (3.8)
46-50	89 (10.4)	0 (0)	0 (0)
51-55	110 (12.8)	1 (0.9)	6 (5.5)
56-60	115 (13.4)	0 (0)	4 (3.5)
61-65	106 (12.3)	0 (0)	1 (0.9)
≥66	164 (19.1)	1 (0.6)	1 (0.6)

Cases percentages computed as a percent of participants in each age and sex category

\*Confirmed and probable cases (including other tests and/or model based on key symptoms) [4]

The numbers may not add to 899 due to missing data.

**Table 2. Status of COVID-19 cases reported in July for last 30 days**

	<b>Confirmed cases (RT-PCR)</b> N=2	<b>Confirmed and probable cases*</b> N=7
	<b>Number (%)</b>	
<b>Cases with symptoms <math>\geq</math> 21 days</b>	0 (0)	2 (28.6)
<b>Cases admitted to the hospital</b>	0 (0)	0 (0)
<b>Cases admitted to the Intensive Care Unit (ICU)</b>	0 (0)	0 (0)
<b>Cases who received oxygen treatment</b>	0 (0)	0 (0)

Not all cases answer these questions, therefore percentages may not be representative of the total cases.

\*Confirmed and probable cases (including other tests and model based on key symptoms) <sup>[4]</sup>

**Table 3. Percent of people who reported specific symptoms in the last 30 days**

	<b>Overall</b>	<b>Within confirmed COVID-19 cases (RT-PCR)</b>	<b>Within all COVID-19 cases*</b>
	<b>Number (%) with symptoms</b>		
<b>Number of people</b>	899	5	20
<b>Symptoms</b>			
Fever	21 (2.4)	3 (60.0)	10 (52.6)
Nausea/vomiting	40 (4.5)	1 (20.0)	4 (21.1)
Diarrhea	65 (7.3)	2 (40.0)	7 (36.8)
Persistent cough	41 (4.6)	3 (60.0)	8 (42.1)
Difficulty breathing	46 (5.2)	2 (40.0)	5 (26.3)
Unusual fatigue	56 (6.3)	1 (20.0)	11 (57.9)
Loss of taste	24 (2.7)	1 (20.0)	15 (75.0)
Loss of smell	23 (2.6)	2 (40.0)	15 (75.0)
Chest discomfort, tension, pain and/or pressure	60 (6.8)	2 (40.0)	6 (31.6)
Skipping meals	154 (17.4)	2 (40.0)	9 (47.4)
Delirium	24 (2.7)	1 (20.0)	4 (21.1)
Muscle and/or joint pain	185 (20.9)	2 (40.0)	13 (68.4)

\*Confirmed and probable cases (including other tests and model based on key symptoms) <sup>[4]</sup>

The number of cases may not add to the confirmed or total cases due to missing data.

**Table 4. COVID-19 cases by key comorbidities**

	Confirmed COVID-19 cases (RT-PCR)	Total COVID-19 cases*
	Number (%)	
With Diabetes (N=138)	1 (0.7)	1 (0.7)
Without Diabetes (N=734)	4 (0.5)	19 (2.6)
With Pulmonary conditions (including asthma) (N=124)	1 (0.8)	2 (1.6)
Without pulmonary conditions (N=751)	4 (0.5)	18 (2.4)
Obese** (N=377)	2 (0.5)	6 (1.6)
Not Obese (N=478)	3 (0.6)	14 (2.9)

\*Confirmed and probable cases (including other tests and model based on key symptoms)<sup>[4]</sup>


\*\*Participants were classified as obese if they have a body mass index (BMI)  $\geq 30$

The number of cases may not add to the confirmed or total cases due to missing data

**Figure 2. Monthly COVID-19 positive cases reported in July for the last 30 days (Confirmed cases by RT-PCR)**



**Figure 3. Monthly COVID-19 positive cases reported in July for the last 30 days (All confirmed and probable cases including other tests and model based on key symptoms)**



**Table 5. Influenza positive cases reported in July for the last 30 days among those who reported being tested in the last 30 days (N=98)**

	<b>Participants</b>	<b>Tested for Influenza</b>	<b>Influenza cases</b>
	<b>Number (%)</b>		
<b>Number</b>	899	98 (11.0)	1 (0.1)
<b>Sex</b>			
Male	284 (31.6)	32 (11.4)	0 (0)
Female	594 (66.1)	61 (10.3)	1 (0.2)
Missing/Other	21 (2.3)	5 (23.8)	0 (0)
<b>Age</b>			
21-25	41 (4.8)	7 (17.1)	0 (0)
26-30	39 (4.5)	2 (5.1)	0 (0)
31-35	60 (7.0)	4 (6.7)	0 (0)
36-40	57 (6.6)	9 (15.8)	0 (0)
41-45	79 (9.2)	11 (13.9)	0 (0)
46-50	89 (10.4)	9 (10.1)	0 (0)
51-55	110 (12.8)	10 (9.4)	0 (0)
56-60	115 (13.4)	17 (14.8)	1 (0.9)
61-65	106 (12.3)	13 (12.3)	0 (0)
≥66	164 (19.1)	14 (8.5)	0 (0)

Cases percentages computed as a percent of participants in each age and sex category

**Table 6. COVID-19 vaccination distribution by age range and comorbidities**

	<b>Participants</b>	<b>Only one dose</b>	<b>Two doses</b>
	<b>Number (%)</b>		
<b>Number</b>	899	71 (8.1)	739 (83.8)
<b>Age</b>			
21-25	41 (4.8)	5 (12.2)	29 (70.7)
26-30	39 (4.5)	2 (5.1)	32 (82.1)
31-35	60 (7.0)	6 (10.3)	49 (84.5)
36-40	57 (6.6)	4 (7.0)	44 (77.2)
41-45	79 (9.2)	4 (5.1)	68 (87.2)
46-50	89 (10.4)	10 (11.4)	69 (78.4)
51-55	110 (12.8)	11 (10.2)	89 (82.4)
56-60	115 (13.4)	8 (7.0)	99 (86.1)
61-65	106 (12.3)	11 (10.8)	81 (79.4)
≥66	164 (19.1)	10 (6.1)	151 (92.6)
<b>Comorbidities</b>			
With Diabetes	138 (15.6)	14 (10.2)	117 (85.4)
With Pulmonary conditions (including asthma)	124 (14.2)	11 (8.9)	99 (80.5)
Obese	377 (44.1)	33 (8.8)	314 (84.0)

The number of people who responded COVID-19 vaccination question was 882.

**Table 7. Requirement to work close to other people during the pandemic by COVID-19 vaccination status**

	<b>Not vaccinated</b>	<b>Vaccinated (one dose)</b>	<b>Vaccinated (two doses)</b>
	<b>Number (%)</b>		
<b>Required to work close to others</b>			
Yes	2 (66.7)	4 (66.7)	40 (75.5)
No	1 (33.3)	2 (33.3)	13 (24.5)

The number of people who responded to this module and vaccine question was 62.

**Table 8. Willingness to get vaccinated against COVID-19**

	No	Yes	Not sure
	Number (row %)		
<b>Number</b>	1 (16.7)	1 (16.7)	4 (66.7)
<b>Age</b>			
21-25	0 (0)	0 (0)	0 (0)
26-30	0 (0)	1 (100)	0 (0)
31-35	0 (0)	0 (0)	0 (0)
36-40	0 (0)	0 (0)	0 (0)
41-45	1 (50.0)	0 (0)	1 (50.0)
46-50	0 (0)	0 (0)	0 (0)
51-55	0 (0)	0 (0)	0 (0)
56-60	0 (0)	0 (0)	2 (100)
61-65	0 (0)	0 (0)	1 (100)
≥66	0 (0)	0 (0)	0 (0)
<b>Comorbidities</b>			
With Diabetes	0 (0)	0 (0)	1 (100)
With Pulmonary conditions (including asthma)	0 (0)	0 (0)	0 (0)
Obese	0 (0)	0 (0)	3 (100)
<b>Nature of work</b>			
Not currently working	1 (25.0)	0 (0)	2 (75.0)
Healthcare sector	0 (0)	0 (0)	1 (100)
An essential worker, not in health sector	0 (0)	1 (100)	0 (0)
Not from the health sector nor an essential worker	0 (0)	0 (0)	1 (100)

The number of people who responded to this module and was not yet vaccinated for COVID-19 was 6.

**Figure 4. Comparison of COVID-19 and Influenza cases in the last 30 days from November 2020 to July 2021**

