

Monthly report tables and figures (December participants)

Figure 1. Participants recruited in December by municipality of residence (N=1,150)




Table 1. Distribution of participants and COVID-19 cases reported in December by participants for last 30 days, by age and gender

	Participants	Confirmed cases (RT-PCR)	Confirmed and probable cases*
	Number (%)		
Number	1,150	12 (1.0)	46 (4.0)
Sex			
Male	358 (31.5)	6 (1.7)	18 (5.0)
Female	779 (68.5)	6 (0.8)	27 (3.5)
Other	1 (0)	0 (0)	0 (0)
Age			
21-25	60 (5.2)	1 (1.7)	3 (5.0)
26-30	61 (5.3)	0 (0)	5 (8.2)
31-35	87 (7.6)	0 (0)	2 (2.3)
36-40	96 (8.4)	1 (1.0)	2 (2.1)
41-45	105 (9.1)	4 (3.8)	7 (6.7)
46-50	129 (11.2)	2 (1.6)	8 (6.2)
51-55	150 (13.0)	1 (0.7)	5 (3.3)
56-60	138 (12.0)	1 (0.7)	3 (2.2)
61-65	117 (10.2)	0 (0)	2 (1.7)
≥66	207 (18.0)	2 (1.0)	9 (14.3)

Cases percentages computed as a percent of participants in each age and sex category

*Confirmed and probable cases (including other tests and/or model based on key symptoms)^[4]

The numbers may not add to 1,150 due to missing data.

Table 2. Status of COVID-19 cases reported in December for last 30 days

	Confirmed cases (RT-PCR) N=12	Confirmed and probable cases* N=46
	Number (%)	
Cases with symptoms \geq 21 days	0 (0)	2 (4.3)
Cases admitted to the hospital	0 (0)	0 (0)
Cases admitted to the Intensive Care Unit (ICU)	0 (0)	0 (0)
Cases who received oxygen treatment	0 (0)	0 (0)

*Confirmed and probable cases (including other tests and model based on key symptoms) ^[4]

Table 3. Percent of people who reported specific symptoms in the last 30 days

	Overall	Within confirmed COVID-19 cases (RT-PCR)	Within all COVID-19 cases*
	Number (%) with symptoms		
Number of people	1,150	12	46
Symptoms			
Fever	43 (3.7)	6 (50.0)	20 (43.5)
Nausea/vomiting	57 (5.0)	4 (33.3)	10 (21.7)
Diarrhea	112 (9.7)	4 (33.3)	17 (37.0)
Persistent cough	51 (4.4)	3 (25.0)	9 (19.6)
Difficulty breathing	55 (4.8)	2 (16.7)	10 (21.7)
Unusual fatigue	77 (6.7)	3 (25.0)	16 (34.8)
Loss of taste	33 (2.9)	5 (41.7)	23 (50.0)
Loss of smell	35 (3.0)	5 (41.7)	24 (52.2)
Chest discomfort, tension, pain and/or pressure	82 (7.1)	2 (16.7)	10 (22.7)
Skipping meals	181 (15.7)	3 (25.0)	15 (32.6)
Delirium	21 (1.8)	1 (8.3)	6 (13.0)

*Confirmed and probable cases (including other tests and model based on key symptoms) ^[4]

Table 4. COVID-19 cases by key comorbidities

	Confirmed COVID-19 cases (RT-PCR)	Total COVID-19 cases*
	Number (%)	
With Diabetes (N=164)	2 (1.2)	7 (4.3)
Without Diabetes (N=964)	10 (1.0)	37 (3.8)
With Pulmonary conditions (including asthma) (N=155)	4 (2.6)	5 (3.2)
Without pulmonary conditions (N=971)	8 (0.8)	38 (3.9)
Obese** (N=496)	5 (1.0)	21 (4.2)
Not Obese (N=598)	7 (1.2)	23 (3.9)

*Confirmed and probable cases (including other tests and model based on key symptoms)^[4]

**Participants were classified as obese if they have a body mass index (BMI) ≥ 30 .

The number of cases may not add to the confirmed or total cases due to missing data.

Figure 2. Monthly COVID-19 positive cases reported in December for the last 30 days (Confirmed cases by RT-PCR)




Figure 3. Monthly COVID-19 positive cases reported in December for the last 30 days (All cases: Confirmed and probable cases including other tests and model based on key symptoms)




Table 4. Influenza positive cases reported in December for the last 30 days among those who reported being tested in the last 30 days (N=191)

	Participants	Tested for Influenza	Influenza cases
	Number (%)		
Number	1,150	191 (16.6)	15 (1.3)
Sex			
Male	358 (31.5)	64 (17.9)	2
Female	779 (68.5)	126 (16.2)	13
Other	1 (0.1)	0 (0)	0
Age			
21-25	60 (5.2)	8 (13.3)	2
26-30	61 (5.3)	9 (14.8)	0
31-35	87 (7.6)	8 (9.2)	0
36-40	96 (8.4)	13 (13.5)	0
41-45	105 (9.1)	21 (20.0)	1
46-50	129 (11.2)	18 (14.0)	2
51-55	150 (13.0)	24 (16.0)	3
56-60	138 (12.0)	28 (20.3)	1
61-65	117 (10.2)	23 (19.7)	4
≥66	207 (18.0)	39 (18.8)	2

The number of people who responded to whether or not they tested positive for Influenza was 189

Figure 4. Monthly Influenza positive cases reported in December for the last 30 days

