


**Monthly report tables and figures (February participants)**

**Figure 1. Participants recruited in February by municipality of residence (N=1,091)**



**Table 1. Distribution of participants and COVID-19 cases reported in February by participants for last 30 days, by age and gender**

	<b>Participants</b>	<b>Confirmed cases (RT-PCR)</b>	<b>Confirmed and probable cases*</b>
	<b>Number (column%)</b>	<b>Number (row%)</b>	
<b>Number</b>	1,091	8 (0.7)	32 (2.9)
<b>Sex</b>			
Male	313 (29.1)	2 (0.6)	10 (3.2)
Female	761 (70.7)	6 (0.8)	21 (2.8)
Other	2 (0.2)	0 (0)	0 (0)
<b>Age</b>			
21-25	63 (6.0)	0 (0)	2 (3.2)
26-30	43 (4.1)	0 (0)	1 (2.3)
31-35	68 (6.5)	0 (0)	1 (1.5)
36-40	69 (6.6)	1 (1.4)	3 (4.3)
41-45	101 (9.6)	3 (3.0)	8 (7.9)
46-50	109 (10.4)	0 (0)	1 (0.9)
51-55	132 (12.6)	1 (0.8)	7 (5.3)
56-60	139 (13.2)	1 (0.7)	2 (1.4)
61-65	116 (11.0)	0 (0)	2 (1.7)
≥66	211 (20.1)	1 (0.5)	3 (1.4)

Cases percentages computed as a percent of participants in each age and sex category

\*Confirmed and probable cases (including other tests and/or model based on key symptoms) [4]  
 The numbers may not add to 1,091 due to missing data.

**Table 2. Status of COVID-19 cases reported in February for last 30 days**

	<b>Confirmed cases (RT-PCR)</b> N=2	<b>Confirmed and probable cases*</b> N=15
	<b>Number (%)</b>	
<b>Cases with symptoms <math>\geq</math> 21 days</b>	1 (50.0)	5 (33.3)
<b>Cases admitted to the hospital</b>	0 (0)	0 (0)
<b>Cases admitted to the Intensive Care Unit (ICU)</b>	0 (0)	0 (0)
<b>Cases who received oxygen treatment</b>	0 (0)	0 (0)

Not all cases answer to these questions, therefore percentages may not be representative of the total cases.

\*Confirmed and probable cases (including other tests and model based on key symptoms) [4]

**Table 3. Percent of people who reported specific symptoms in the last 30 days**

	<b>Overall</b>	<b>Within confirmed COVID-19 cases (RT-PCR)</b>	<b>Within all COVID-19 cases*</b>
	<b>Number (%) with symptoms</b>		
<b>Number of people</b>	1,091	8	32
<b>Symptoms</b>			
Fever	39 (3.6)	1 (12.5)	10 (31.3)
Nausea/vomiting	56 (5.2)	0 (0)	9 (28.1)
Diarrhea	112 (10.3)	4 (50.0)	15 (46.9)
Persistent cough	33 (3.0)	1 (12.5)	10 (31.3)
Difficulty breathing	39 (3.6)	2 (25.0)	10 (31.3)
Unusual fatigue	61 (5.6)	5 (62.5)	16 (50.0)
Loss of taste	38 (3.5)	3 (37.5)	22 (68.8)
Loss of smell	34 (3.1)	4 (50.0)	23 (71.9)
Chest discomfort, tension, pain and/or pressure	79 (7.3)	2 (25.0)	15 (46.9)
Skipping meals	169 (15.6)	3 (37.5)	17 (53.1)
Delirium	22 (2.0)	0 (0)	2 (6.3)

\*Confirmed and probable cases (including other tests and model based on key symptoms) [4]

**Table 4. COVID-19 cases by key comorbidities**


	Confirmed COVID-19 cases (RT-PCR)	Total COVID-19 cases*
	Number (%)	
With Diabetes (N=175)	0 (0)	1 (0.6)
Without Diabetes (N=894)	8 (0.9)	30 (3.4)
With Pulmonary conditions (including asthma) (N=146)	3 (2.1)	14 (9.6)
Without pulmonary conditions (N=928)	5 (0.5)	17 (1.8)
Obese** (N=491)	5 (1.0)	22 (4.5)
Not Obese (N=550)	3 (0.6)	10 (1.8)

\*Confirmed and probable cases (including other tests and model based on key symptoms)<sup>[4]</sup>


\*\*Participants were classified as obese if they have a body mass index (BMI)  $\geq 30$ .

The number of cases may not add to the confirmed or total cases due to missing data.

**Figure 2. Monthly COVID-19 positive cases reported in February for the last 30 days (Confirmed cases by RT-PCR)**



**Figure 3. Monthly COVID-19 positive cases reported in February for the last 30 days (All cases: Confirmed and probable cases including other tests and model based on key symptoms)**




**Table 5. Influenza positive cases reported in February for the last 30 days among those who reported being tested in the last 30 days (N=147)**

	Participants	Tested for Influenza	Influenza cases
	Number (%)		
<b>Number</b>	1,091	147 (13.5)	7 (0.6)
<b>Sex</b>			
Male	313 (29.1)	49 (15.7)	2 (0.6)
Female	761 (70.7)	97 (12.7)	5 (0.7)
Other	2 (0.2)	0 (0)	0 (0)
<b>Age</b>			
21-25	63 (6.0)	2 (3.2)	0 (0)
26-30	43 (4.1)	4 (9.3)	1 (2.3)
31-35	68 (6.5)	8 (11.8)	0 (0)
36-40	69 (6.6)	7 (10.1)	0 (0)
41-45	101 (9.6)	14 (13.9)	2 (2.0)
46-50	109 (10.4)	13 (11.9)	0 (0)
51-55	132 (12.6)	21 (15.9)	0 (0)
56-60	139 (13.2)	15 (10.8)	1 (0.7)
61-65	116 (11.0)	17 (14.7)	1 (0.9)
≥66	211 (20.1)	34 (16.1)	1 (0.5)

Cases percentages computed as a percent of participants in each age and sex category

The number of people who responded to whether or not they tested positive for Influenza was 142

**Figure 4. Monthly Influenza positive cases reported in February for the last 30 days**



**Table 6. COVID-19 vaccination distribution by age range and comorbidities**

	<b>Participants</b>	<b>One dose</b>	<b>Two doses</b>
	<b>Number (%)</b>		
<b>Number</b>	1,091	157 (14.6)	203 (18.8)
<b>Age</b>			
21-25	63 (6.0)	4 (6.4)	13 (20.6)
26-30	43 (4.1)	4 (9.3)	10 (23.3)
31-35	68 (6.5)	6 (8.8)	12 (17.6)
36-40	69 (6.6)	9 (13.0)	16 (23.2)
41-45	101 (9.6)	11 (10.9)	21 (20.8)
46-50	109 (10.4)	16 (14.7)	20 (18.4)
51-55	132 (12.6)	14 (10.6)	22 (16.7)
56-60	139 (13.2)	14 (10.1)	26 (18.7)
61-65	116 (11.0)	8 (6.9)	13 (11.2)
≥66	211 (20.1)	65 (30.8)	44 (20.9)
<b>Comorbidities</b>			
With Diabetes	175 (16.4)	27 (15.4)	31 (17.7)
With Pulmonary conditions (including asthma)	146 (13.6)	14 (9.6)	23 (15.8)
Obese	491 (47.2)	68 (13.8)	95 (19.3)

The number of people who responded COVID-19 vaccination question was 1,079.

**Table 7. COVID-19 vaccinated participants and requirement to work close to other people during the pandemic**

	<b>Not vaccinated</b>	<b>Vaccinated (one dose)</b>	<b>Vaccinated (two doses)</b>
	<b>Number (%)</b>		
<b>Required to work close to others</b>			
Yes	56 (54.9)	12 (11.8)	34 (33.3)
No	33 (63.5)	10 (19.2)	9 (17.3)

The number of people who responded to this module and vaccine question was 253.

**Table 8. Willingness to get vaccinated against COVID-19**

	<b>No</b>	<b>Yes</b>	<b>Not sure</b>
	<b>Number (%)</b>		
<b>Number</b>	6 (7.5)	63 (78.8)	11 (13.8)
<b>Age</b>			
21-25	0 (0)	4 (66.7)	2 (33.3)
26-30	0 (0)	2 (50.0)	2 (50.0)
31-35	0 (0)	1 (50.0)	1 (50.0)
36-40	1 (33.3)	1 (33.3)	1 (33.3)
41-45	0 (0)	2 (50.0)	2 (50.0)

	No	Yes	Not sure
	Number (%)		
46-50	0 (0)	9 (90.0)	1 (10.0)
51-55	0 (0)	2 (28.6)	5 (71.4)
56-60	1 (6.7)	13 (86.7)	1 (6.7)
61-65	2 (12.5)	13 (81.3)	1 (6.3)
≥66	0 (0)	11 (100.0)	0
<b>Comorbidities</b>			
With Diabetes	2 (12.5)	13 (81.3)	1 (6.3)
With Pulmonary conditions (including asthma)	4 (28.6)	8 (57.1)	2 (14.3)
Obese	1 (2.4)	36 (87.8)	4 (9.8)
<b>Nature of work</b>			
Not currently working	5 (9.8)	39 (76.5)	7 (13.7)
Healthcare sector	1 (25.0)	2 (50.0)	1 (25.0)
An essential worker, not in health sector	0 (0)	10 (100)	0 (0)
Not from the health sector nor an essential worker	0 (0)	11 (78.6)	3 (21.4)

The number of people who responded to this module and was not yet vaccinated for COVID-19 was 81.

**Figure 5. Comparison of COVID-19 and Influenza cases in the last 30 days from November 2020 to February 2021**

