

Monthly report tables and figures (January participants)

Figure 1. Participants recruited in January by municipality of residence (N=1,003)




Table 1. Distribution of participants and COVID-19 cases reported in January by participants for last 30 days, by age and gender

	Participants	Confirmed cases (RT-PCR)	Confirmed and probable cases*
	Number (column%)	Number (row%)	
Number	1,003	8 (0.8)	32 (3.2)
Sex			
Male	296 (30.1)	2 (0.7)	14 (4.7)
Female	686 (69.8)	6 (0.9)	18 (2.6)
Other	1 (0.1)	0 (0)	0 (0)
Age			
21-25	51 (5.1)	1 (2.0)	2 (3.9)
26-30	45 (4.5)	0 (0)	3 (6.7)
31-35	56 (5.6)	2 (3.6)	2 (3.6)
36-40	73 (7.3)	1 (1.4)	4 (5.5)
41-45	76 (7.6)	0 (0)	1 (1.3)
46-50	115 (11.5)	1 (0.9)	3 (2.6)
51-55	138 (13.8)	2 (1.4)	8 (5.8)
56-60	137 (13.7)	1 (0.7)	4 (2.9)
61-65	96 (9.6)	0 (0)	2 (2.1)
≥66	216 (21.5)	0 (0)	3 (1.4)

Cases percentages computed as a percent of participants in each age and sex category

*Confirmed and probable cases (including other tests and/or model based on key symptoms) [4]

The numbers may not add to 1,003 due to missing data.

Table 2. Status of COVID-19 cases reported in January for last 30 days

	Confirmed cases (RT-PCR) N=8	Confirmed and probable cases* N=32
	Number (%)	
Cases with symptoms \geq 21 days	2 (40.0)	4 (23.5)
Cases admitted to the hospital	1 (20.0)	1 (7.7)
Cases admitted to the Intensive Care Unit (ICU)	0 (0)	0 (0)
Cases who received oxygen treatment	1 (20.0)	1 (33.3)

Not all cases answer to these questions, therefore percentages may not be representative of the total cases.

*Confirmed and probable cases (including other tests and model based on key symptoms) ^[4]

Table 3. Percent of people who reported specific symptoms in the last 30 days

	Overall	Within confirmed COVID-19 cases (RT-PCR)	Within all COVID-19 cases*
	Number (%) with symptoms		
Number of people	1,003	8	32
Symptoms			
Fever	27 (2.7)	2 (25.0)	7 (21.9)
Nausea/vomiting	41 (4.1)	1 (12.5)	3 (9.7)
Diarrhea	83 (8.3)	1 (12.5)	9 (28.1)
Persistent cough	35 (3.5)	1 (14.3)	6 (20.0)
Difficulty breathing	46 (4.6)	1 (14.3)	5 (16.7)
Unusual fatigue	62 (6.2)	3 (37.5)	10 (32.3)
Loss of taste	26 (2.6)	3 (37.5)	13 (40.6)
Loss of smell	19 (1.9)	2 (25.0)	13 (40.6)
Chest discomfort, tension, pain and/or pressure	57 (5.7)	2 (25.0)	5 (16.1)
Skipping meals	149 (14.9)	2 (25.0)	8 (25.8)
Delirium	22 (2.2)	2 (25.0)	4 (12.9)

*Confirmed and probable cases (including other tests and model based on key symptoms) ^[4]

Table 4. COVID-19 cases by key comorbidities

	Confirmed COVID-19 cases (RT-PCR)	Total COVID-19 cases*
	Number (%)	
With Diabetes (N=169)	2 (1.2)	3 (1.8)
Without Diabetes (N=811)	5 (0.6)	28 (3.5)
With Pulmonary conditions (including asthma) (N=152)	4 (2.6)	9 (5.9)
Without pulmonary conditions (N=828)	3 (0.4)	22 (2.7)
Obese** (N=439)	7 (1.6)	17 (3.9)
Not Obese (N=522)	1 (0.2)	15 (2.9)

*Confirmed and probable cases (including other tests and model based on key symptoms)^[4]

**Participants were classified as obese if they have a body mass index (BMI) ≥ 30 .

The number of cases may not add to the confirmed or total cases due to missing data.

Figure 2. Monthly COVID-19 positive cases reported in January for the last 30 days (Confirmed cases by RT-PCR)



Figure 3. Monthly COVID-19 positive cases reported in January for the last 30 days (All cases: Confirmed and probable cases including other tests and model based on key symptoms)




Table 5. Influenza positive cases reported in January for the last 30 days among those who reported being tested in the last 30 days (N=147)

	Participants	Tested for Influenza	Influenza cases
	Number (%)		
Number	1,003	147 (14.7)	8 (0.8)
Sex			
Male	296 (30.1)	57 (19.3)	3 (1.0)
Female	686 (69.8)	85 (12.4)	4 (0.6)
Other	1 (0.1)	1 (100)	1 (100)
Age			
21-25	51 (5.1)	3 (5.9)	0 (0)
26-30	45 (4.5)	5 (11.1)	0 (0)
31-35	56 (5.6)	15 (26.8)	0 (0)
36-40	73 (7.3)	8 (11.0)	0 (0)
41-45	76 (7.6)	3 (4.0)	0 (0)
46-50	115 (11.5)	17 (14.8)	1 (0.9)
51-55	138 (13.8)	18 (13.1)	3 (2.2)
56-60	137 (13.7)	25 (18.3)	3 (2.2)
61-65	96 (9.6)	16 (16.7)	0 (0)
≥66	216 (21.5)	37 (17.1)	1 (0.5)

Cases percentages computed as a percent of participants in each age and sex category

The number of people who responded to whether or not they tested positive for Influenza was 145

Figure 4. Monthly Influenza positive cases reported in January for the last 30 days




Table 6. COVID-19 vaccination distribution by age range and comorbidities

	Participants	One dose	Two doses
	Number (%)		
Number	1,003	130 (13.2)	55 (5.6)
Age			
21-25	51 (5.1)	10 (20.0)	3 (6.0)
26-30	45 (4.5)	8 (17.8)	2 (4.4)
31-35	56 (5.6)	5 (8.9)	4 (7.1)
36-40	73 (7.3)	9 (12.3)	9 (12.3)
41-45	76 (7.6)	9 (11.8)	3 (4.0)
46-50	115 (11.5)	17 (15.2)	10 (8.9)
51-55	138 (13.8)	19 (14.2)	8 (6.0)
56-60	137 (13.7)	14 (10.3)	7 (5.2)
61-65	96 (9.6)	12 (12.8)	4 (4.3)
≥66	216 (21.5)	27 (12.9)	5 (2.4)
Comorbidities			
With Diabetes	169 (17.2)	20 (11.9)	1 (0.6)
With Pulmonary conditions (including asthma)	152 (15.5)	21 (13.8)	6 (4.0)
Obese	439 (45.7)	54 (12.4)	29 (6.7)

The number of people who responded COVID-19 vaccination question was 985.

Table 7. COVID-19 vaccinated participants and requirement to work close to other people during the pandemic

	Not vaccinated	Vaccinated (one dose)	Vaccinated (two doses)
	Number (%)		
Required to work close to others			
Yes	79 (67.5)	28 (23.9)	10 (8.6)
No	60 (93.8)	3 (4.7)	1 (1.6)

The number of people who responded to this module and vaccine question was 181.

Table 8. Willingness to get vaccinated against COVID-19

	No	Yes	Not sure
	Number (%)		
Number	6 (8.2)	51 (70.9)	16 (21.9)
Age			
21-25	1 (20.0)	4 (80.0)	0 (0)
26-30	1 (33.3)	2 (66.7)	0 (0)
31-35	0 (0)	8 (88.9)	1 (11.1)
36-40	0 (0)	3 (50.0)	3 (50.0)

	No	Yes	Not sure
	Number (%)		
41-45	0 (0)	3 (60.0)	2 (40.0)
46-50	0 (0)	7 (70.0)	3 (30.0)
51-55	3 (42.9)	4 (57.1)	0 (0)
56-60	1 (14.3)	4 (57.1)	2 (28.6)
61-65	0 (0)	8 (72.7)	3 (27.3)
≥66	0 (0)	8 (80.0)	2 (20.0)
Comorbidities			
With Diabetes	0 (0)	7 (77.8)	2 (22.2)
With Pulmonary conditions (including asthma)	3 (33.3)	6 (66.7)	0 (0)
Obese	2 (6.3)	25 (78.1)	5 (15.6)
Nature of work			
Not currently working	3 (9.1)	23 (69.7)	7 (21.2)
Healthcare sector	0 (0)	2 (40.0)	3 (60.0)
An essential worker, not in health sector	1 (6.3)	12 (75.0)	3 (18.8)
Not from the health sector nor an essential worker	2 (10.5)	14 (73.7)	3 (15.8)

The number of people who responded to this module and was not yet vaccinated for COVID-19 was 73.